


INDEPENDENCE 2




Quail
IND 8630



Sand
IND 8634

Snow White
IND 8413



Adobe
IND 8501



Parchment
IND 8628



Coffee Cream
IND 8414



Lt. Maple
IND 8624



Cinnamon
IND 8608



Chestnut
IND 8516



Shell
IND 8635



Camel
IND 8606



Tawny
IND 8637



Brown Sugar
IND 8605



Mocha
IND 8406



Espresso
IND 8405



Summer Haze
IND 8636



Corn Silk
IND 8611



Lemon Peel
IND 8415



Sunflower
IND 8421



Dutch Orange
IND 8615



Chocolate
IND 8607



Snow White
IND 8413



Moonstone
IND 8420



Alabaster
IND 8603



Taupe
IND 8584



French Brown
IND 8617



Eucalyptus
IND 8638



Super White
IND 8407



Platinum
IND 8408



Dove
IND 8567



Franciscan Gray
IND 8616



Gunmetal
IND 8619



Black
IND 8540



Clay
IND 8609



Copper
IND 8610



Mandarin
IND 8625



Cinnabar
IND 8520



Tomato
IND 8558



Paprika
IND 8627



Rosetan
IND 8633



Petal
IND 8629



American Beauty
IND 8528



Lipstick
IND 8527



Bordeaux
IND 8532



Burgundy
IND 8569



Tea Rose
IND 8565



Crescent Cherry
IND 8613



Raspberry
IND 8631



Grape
IND 8404



Dk. Plum
IND 8614



Deep Phoenician
IND 8576



Azure Blue
IND 8604



Regal
IND 8632



Cosmos
IND 8612



Royal Blue
IND 8542




Academy Blue
IND 8601



Navy
IND 8626



Aero Blue
IND 8602



Ocean Gray
IND 8545



Space Blue
IND 8541



Colonial Blue
IND 8403



Midnight Blue
IND 8419



Spruce
IND 8549



Greenery
IND 8618



China Green
IND 8417



Turquoise
IND 8411



Celedon Green
IND 8550



Jade
IND 8620



Grotto
IND 8564



Lt. Lime
IND 8623



Leaf Green
IND 8621



Loden
IND 8622



Viscaya Palm
IND 8402



Yew Green
IND 8553



Forest Green
IND 8571



INDEPENDENCE 2

Premium Vinyl Collection

INDEPENDENCE 2 with **FORBID**[®]
is manufactured to meet the following typical properties:

Width	54"
Roll Size	30 yds.
Nominal Weight	32 oz. per Lin. yard
Contents	100% Virgin Vinyl
Cold Crack	-10°F
UV Stabilized Pigments	300 hours minimum
Abrasion Resistance	Wyzenbeek (100,000 cycles #10 cotton duck)
Class Ratings	ASTM D 3690 - Class A
Thickness	1.02 mm
Mildew Resistant	Front and Back
Anti-Bacterial/Anti-Microbial (NYS63/ASTM G-21-90)	Pass

Compatible with commercially available adhesives.

Suggested Applications:

Automotive, Conference Room, Executive Seating, Residential, Office, Hospitality, Home Office, Lounge Seating, Healthcare, Spa, Massage Tables, RV, Restaurants.

Meets flammability requirements*:

Motor Vehicle Safety Standard 302

• California Technical Bulletin 117-2013, Section 1 • BIFMA • UFAC • NFPA 260

*This term and any corresponding data refer to typical performance in the specific test indicated and should not be construed to imply the behavior of this or any other material under actual fire conditions.

FORBID[®] dramatically increases the stain resistance, while preserving the integrity of the fabric luster and softness.

FORBID[®] Cleaning instructions:

Method One: For most common stains and spills, use mild soap and water.

Method Two: If Method One doesn't work, use the following household items - FANTASTIK • 409 • MR. CLEAN.

Method Three: For tougher stains such as sharpie, paint and lipstick, use a 70% isopropyl alcohol wipe.

CLEANING METHOD	STAINING AGENT							
	DIRT	REN MARKS	SHARPIE	PAINT	KETCHUP & MUSTARD	LIPSTICK	NAIL POLISH	BLUE JEAN
METHOD 1	X	X						X
METHOD 2	X	X			X	X		X
METHOD 3		X	X	X	X	X	X	X

For more information, please visit www.forbidsrt.com

The Enduratax™ care guide addresses the performance of FORBID products as indicated in product testing, conducted under laboratory conditions. Results may vary under actual conditions.

The information contained in the care guide is not a guarantee and does not relieve the user of the responsibility of proper and safe use of the product and the use of recommended cleaning agents. The use of certain agents has been found to be harmful to the surface appearance and lifespan of vinyl, please familiarize yourself with those substrates for best results.

Enduratax™ topcoat, FORBID, is resistant to most common stains; however, existing dyes and pigments in some staining agents have been seen to create a permanent stain if not properly treated in a timely manner.

Enduratax™ maintains the highest vinyl production standards. Anomalies may occur during finishing if the vinyl comes into contact with incompatible forms.



CGPC is a certified ISO/TS 16949:2009 Manufacturer



INDUSTRY PARTNER



INDUSTRY MEMBER

